

FLOOR PLAN - SYMBOLS LEGEND

	NEW WALL / PARTITION		EXISTING WALL TO REMAIN
	NEW DOOR		EXISTING DOOR TO REMAIN
	PLAN NOTE		FIRE EXTINGUISHER CABINET
	KEYNOTE / WALL TYPE / PARTITION TYPE		FLOOR DRAIN
	INTERIOR ELEVATION		AUTOMATIC DOOR OPERATOR
	DETAIL REFERENCE		CARD READER
	CONSTRUCTION LIMITS		ELECTRONIC KEY PAD LOCK
	FAN COIL UNIT - SEE HVAC DRAWINGS FOR ADDITIONAL INFORMATION		MODULAR CASEBOOK PROVIDED BY CONTRACTOR AND INSTALLED BY CERTIFIED MODULAR CASEBOOK INSTALLER - SEE I-GN SHEETS FOR ADDITIONAL INFO (SINKS WHERE SHOWN ARE TO BE INTEGRAL TO COUNTERTOP)
			MODULAR PATIENT RN CASEBOOK PROVIDED BY CONTRACTOR AND INSTALLED BY CERTIFIED MODULAR CASEBOOK INSTALLER - SEE I-GN SHEETS FOR ADDITIONAL INFO (PROVIDE SINK INTEGRAL TO COUNTERTOP)

FLOOR PLAN - GENERAL NOTES

- DIMENSIONS ON FLOOR PLAN ARE BASED ON FACE OF FINISHED WALL TO FACE OF FINISHED WALL (NOMINAL).
- VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE. PORTIONS OF EXISTING CONSTRUCTION MAY HAVE BEEN REMOVED BY OWNER.
- MAINTAIN CONTINUOUS UTILITY SERVICE TO ALL SPACES IN THE BUILDING NOT AFFECTED BY THIS WORK. COORDINATE WITH OWNER ANY DISRUPTION IN SERVICES REQUIRED TO PERFORM WORK OR TO MODIFY EXISTING PIPING, DUCTWORK OR ANY ASSOCIATED EQUIPMENT.
- REFER TO SHEET I-AS10 FOR ROOF FINISH SCHEDULE AND NOTES.
- REFER TO SHEET I-AS10 FOR DOOR SCHEDULES, DOOR TYPES, AND NOTES.
- FOR TYPICAL TOILET ROOM ELEVATIONS AND MOUNTING HEIGHTS SEE DETAIL (M-10).
- FOR TYPICAL PATIENT TOILET ROOM SHOWER ELEVATIONS AND MOUNTING HEIGHTS SEE DETAIL (M-10).
- AT EXISTING WALLS WHERE EXISTING STEAM RADIATOR CABINET REMAINS, ENCLOSURE CABINET OPENING PER DETAIL (M-10).
- AT EXISTING WALLS SHOWN TO REMAIN (INCLUDING EXISTING WALLS): EXISTING COVERED TILE/TERRAZZO BASE TO BE CHASED OUT INFILLED IN PREPARATION FOR NEW FINISHES PER THE ROOF FINISH SCHEDULE. SEE DETAIL (M-10).
- WHERE EXISTING ROOMS ARE SHOWN ON THE FLOOR PLAN TO REMAIN AND HAVE EXISTING TILE WALLS, THESE WALLS ARE TO BE SKIM COATED AND PAINTED WITH EPOXY PAINT IN PREPARATION FOR THE NEW WALL FINISHES AS CALLED OUT IN THE ROOF FINISH SCHEDULE.
- N-WALL SUPPORT BLOCKING TO BE PROVIDED AT ALL DOOR WALL STOP LOCATIONS PER DETAIL (M-10).
- HILT SPEED SLEEVE OR APPROVAL EQUAL REQUIRED FOR CONDUIT AND PIPING PENETRATIONS THROUGH FIRE RATED WALLS.
- ALL EXISTING WINDOWS WITHIN THE PROJECT LIMITS ARE TO RECEIVE WINDOW INSERTS MADE OF 1" ALUMINUM AS MANUFACTURED BY MOULINE MODEL #4N OR APPROVED EQUAL. COLOR IS TO BE DARK BRONZE ANODIZED OR APPROVED EQUAL BY OWNER.
- AT PATIENT ROOM HEADWALLS, EXACT LOCATION OF WALL MOUNTED MONITOR AND OUTLET ARE TO BE CONFIRMED WITH OWNER.
- ALL WET AREAS TO RECEIVE NEW TILE FLOORING AS INDICATED ON THE ROOM FINISH SCHEDULE ARE TO RECEIVE A WATERPROOFING MEMBRANE PER DETAIL (M-10).
- DEMOLITION AS REQUIRED FOR ABATEMENT IS TO BE RECONSTRUCTED BY CONTRACTOR AS REQUIRED TO MATCH ADJACENT CONDITIONS.

GYPSUM BOARD PARTITION SCHEDULE

- SOUND PARTITION**
- (M) 3/8" STEEL STUDS @ 16" OC W/ 3" SOUND ATTENUATION INSUL @ 1/2" GYP BD @ EACH FACE. PROVIDE 1 HR RATED UL #4465 DESIGN WHERE 1 HR CONSTRUCTION IS INDICATED ON PLANS.
 - (M) 6" STEEL STUDS @ 16" OC W/ 6" SOUND ATTENUATION INSUL @ 1/2" GYP BD @ EACH FACE. PROVIDE 1 HR RATED UL #4465 DESIGN WHERE 1 HR CONSTRUCTION IS INDICATED ON PLANS.
- FURRING**
- (F) DIRECT BONDED 1/2" GYP BD
 - (F) 3/8" STEEL STUDS @ 16" OC W/ 1/2" GYP BD
 - (F) 2 1/4" STEEL STUDS @ 16" OC W/ 1/2" GYP BD
 - (F) 3/8" STEEL STUDS @ 16" OC W/ 1/2" GYP BD
 - (F) 3/8" STEEL STUDS @ 16" OC W/ 3" SOUND ATTENUATION INSULATION @ 1/2" GYP BD

GYPSUM BOARD PARTITION GENERAL NOTES

- ALL GYPSUM BOARD PARTITIONS SHALL BE (M) UNLESS OTHERWISE NOTED ON FLOOR PLAN.
- GYPSUM BOARD PARTITION DIMENSIONS ON FLOOR PLAN ARE BASED ON FACE OF FINISHED PARTITION TO FACE OF FINISHED PARTITION (NOMINAL).
- REFER TO GYPSUM BOARD SPECIFICATION FOR LOCATIONS 1 TYPE(S) OF GYPSUM BOARD MATERIAL REQUIRED.
- PROVIDE TYPE 'X' FIRE RATED GYPSUM BOARD AT ALL FIRE RATED PARTITIONS.
- SEAL ALL WALL PENETRATIONS AT PERIMETER AND FIRESTOP ALL FIRE RATED PARTITIONS.
- EXTEND ALL GYPSUM BOARD PARTITIONS FULL HEIGHT TO UNDERSIDE OF STRUCTURE ABOVE. PROVIDE SLIP JOINT BETWEEN TOP OF PARTITION AND UNDERSIDE OF STRUCTURE ABOVE. REFER TO DETAIL (M-10).


FLOOR PLAN NOTES

- PROVIDE DIRECT BONDED 1/2" GYP BD WALL TYPE (F).
- HEADWALL UNIT - SEE SHEET HK-1.
- INFILL EXISTING DOOR OPENING. NEW INFILL TO MATCH CONSTRUCTION AND FINISH OF ADJACENT EXISTING WALLS.
- PROVIDE ADDITIONAL N-WALL SUPPORT BLOCKING BEHIND GRAB BARS AT BARIATRIC DESIGNATED PATIENT TOILET ROOMS.
- PROVIDE NEW GYPSUM BOARD SHEATHING ON WALLS WHERE EXISTING CERAMIC TILE AND SUBSTRATE HAVE BEEN DEMOLISHED. COMPLETE WALL TYPE TO MATCH EXISTING ADJACENT WALL CONDITIONS.
- PATCH EXISTING WALL AS REQUIRED TO MATCH EXISTING ADJACENT WALL CONSTRUCTION.
- NOT USED.
- PROVIDE PLUG MOLD OUTLET STRIP AT 4'-0" A.F.F.
- EXISTING WALLS TO BECOME RATED PARTITIONS AS INDICATED BY FLOOR PLAN LINETYPE DESIGNATIONS. CONTRACTOR TO CONFIRM THAT PARTITIONS AND GYPSUM BOARD EXTEND TO THE UNDERSIDE OF STRUCTURE, ARE TAPED, AND ALL PENETRATIONS ARE SEALED WITH THE APPROPRIATE FIRE-STOPPING SEALANT.
- CONTRACTOR TO CONFIRM THAT EXISTING WALLS MAINTAIN THE FIRE RATING INDICATED BY FLOOR PLAN LINETYPE DESIGNATIONS. CONTRACTOR TO CONFIRM THAT PARTITIONS AND GYPSUM BOARD EXTEND TO THE UNDERSIDE OF STRUCTURE, ARE TAPED, AND ALL PENETRATIONS ARE SEALED WITH THE APPROPRIATE FIRE-STOPPING SEALANT.
- NOT USED.
- EXISTING WINDOW SILL TO BE REFINISHED WITH NEW SOLID SURFACE VENEER. FIELD VERIFY ALL DIMENSIONS.
- WALL MOUNTED STORAGE BIN SYSTEM PROVIDED BY OWNER AND INSTALLED BY CONTRACTOR. CONFIRM EXACT LOCATION AND CONFIGURATION WITH OWNER PRIOR TO INSTALLATION.
- PROVIDE NEW WINDOW SILL AND WALL FURRING TYPE (F) TO ALLOW FOR GRAB BAR BLOCKING. SEE DETAIL (M-10).
- EXTEND NEW PARTITION STUDS AND GYPSUM BOARD 6" ABOVE FINISHED CEILING ONLY TO ALLOW ABOVE CEILING VISIBILITY TO EXISTING SHAFT WALL ENCLOSURE BEYOND.
- INFILL WALL AND PATCH TO MATCH EXISTING ADJACENT WALLS AS REQUIRED FOR INSTALLATION OF NEW FIRE EXTINGUISHER CABINET.
- FAN COIL UNIT PIPING ENCLOSURE. SEE DETAIL (M-10).



Department of Veteran Affairs
Iowa City VAMC
601 Highway 6W
Iowa City, IA 52246

FULLY SPRINKLERED
CONSTRUCTION DOCUMENTS





PARTIAL SEVENTH FLOOR FLOOR PLAN

1/8"=1'-0"

WALL RATING SYMBOL KEY	
1	1 HR FIRE SEPARATION
2	2 HR FIRE SEPARATION
3	3 HR FIRE SEPARATION
4	4 HR FIRE SEPARATION
5	5 HR FIRE SEPARATION
6	6 HR FIRE SEPARATION
7	7 HR FIRE SEPARATION
8	8 HR FIRE SEPARATION
9	9 HR FIRE SEPARATION
10	10 HR FIRE SEPARATION
11	11 HR FIRE SEPARATION
12	12 HR FIRE SEPARATION
13	13 HR FIRE SEPARATION
14	14 HR FIRE SEPARATION
15	15 HR FIRE SEPARATION
16	16 HR FIRE SEPARATION
17	17 HR FIRE SEPARATION
18	18 HR FIRE SEPARATION
19	19 HR FIRE SEPARATION
20	20 HR FIRE SEPARATION
21	21 HR FIRE SEPARATION
22	22 HR FIRE SEPARATION
23	23 HR FIRE SEPARATION
24	24 HR FIRE SEPARATION
25	25 HR FIRE SEPARATION
26	26 HR FIRE SEPARATION
27	27 HR FIRE SEPARATION
28	28 HR FIRE SEPARATION
29	29 HR FIRE SEPARATION
30	30 HR FIRE SEPARATION
31	31 HR FIRE SEPARATION
32	32 HR FIRE SEPARATION
33	33 HR FIRE SEPARATION
34	34 HR FIRE SEPARATION
35	35 HR FIRE SEPARATION
36	36 HR FIRE SEPARATION
37	37 HR FIRE SEPARATION
38	38 HR FIRE SEPARATION
39	39 HR FIRE SEPARATION
40	40 HR FIRE SEPARATION
41	41 HR FIRE SEPARATION
42	42 HR FIRE SEPARATION
43	43 HR FIRE SEPARATION
44	44 HR FIRE SEPARATION
45	45 HR FIRE SEPARATION
46	46 HR FIRE SEPARATION
47	47 HR FIRE SEPARATION
48	48 HR FIRE SEPARATION
49	49 HR FIRE SEPARATION
50	50 HR FIRE SEPARATION
51	51 HR FIRE SEPARATION
52	52 HR FIRE SEPARATION
53	53 HR FIRE SEPARATION
54	54 HR FIRE SEPARATION
55	55 HR FIRE SEPARATION
56	56 HR FIRE SEPARATION
57	57 HR FIRE SEPARATION
58	58 HR FIRE SEPARATION
59	59 HR FIRE SEPARATION
60	60 HR FIRE SEPARATION
61	61 HR FIRE SEPARATION
62	62 HR FIRE SEPARATION
63	63 HR FIRE SEPARATION
64	64 HR FIRE SEPARATION
65	65 HR FIRE SEPARATION
66	66 HR FIRE SEPARATION
67	67 HR FIRE SEPARATION
68	68 HR FIRE SEPARATION
69	69 HR FIRE SEPARATION
70	70 HR FIRE SEPARATION
71	71 HR FIRE SEPARATION
72	72 HR FIRE SEPARATION
73	73 HR FIRE SEPARATION
74	74 HR FIRE SEPARATION
75	75 HR FIRE SEPARATION
76	76 HR FIRE SEPARATION
77	77 HR FIRE SEPARATION
78	78 HR FIRE SEPARATION
79	79 HR FIRE SEPARATION
80	80 HR FIRE SEPARATION
81	81 HR FIRE SEPARATION
82	82 HR FIRE SEPARATION
83	83 HR FIRE SEPARATION
84	84 HR FIRE SEPARATION
85	85 HR FIRE SEPARATION
86	86 HR FIRE SEPARATION
87	87 HR FIRE SEPARATION
88	88 HR FIRE SEPARATION
89	89 HR FIRE SEPARATION
90	90 HR FIRE SEPARATION
91	91 HR FIRE SEPARATION
92	92 HR FIRE SEPARATION
93	93 HR FIRE SEPARATION
94	94 HR FIRE SEPARATION
95	95 HR FIRE SEPARATION
96	96 HR FIRE SEPARATION
97	97 HR FIRE SEPARATION
98	98 HR FIRE SEPARATION
99	99 HR FIRE SEPARATION
100	100 HR FIRE SEPARATION


SUITE SUITE LINE



PARTIAL EIGHTH FLOOR FLOOR PLAN

1/8"=1'-0"

KEY PLAN:



STAMP:

CONSULTANTS:



NIKA Technologies, Inc.
Engineering and Management Consultants
11400 Rockville Pike, Ste 505
N Bethesda, MD 20852
P: 301.770.3520 F: 301.770.3521
www.nikatechnologies.com

ARCHITECT/ENGINEERS:

2310 Crossroads Drive Suite 2000 • Madison WI 53718 • Tel 608 240-9900 • Fax 608 240-9690
11000 West Park Place • Milwaukee WI 53224 • Tel 414 359-3060 • Fax 414 359-3070
Plunkett
Raysich
architects
Intelligent Designs
Inspired Results
www.prarch.com

Drawing Title

PARTIAL SEVENTH AND EIGHTH FLOOR PLANS

Approved: Project Director

Project Title

RENOVATE INPATIENT MEDICAL/ SURGICAL WARD, 7E

Location

IOWA CITY VA MEDICAL CENTER

Date 07/07/2009 Checked Drawn ADB

Project Number

636A8-10-001

Building Number

1

Drawing Number

1-AS4

Dwg 7 of 44

Office of

Construction and Facilities Management

Department of

Veterans Affairs

